

DECLARATION OF PERFORMANCE

no 09-2017

In accordance with Regulation (EU) no 305/2011 of the European Parliament and the European Council.

1. Unique identification code of product type:

Aluminium and steel suspended ceilings U-50,U-100, U-150, U-200, UK-50, UK-100, UK-150, UK-200, K-100, K-100, KN-100, KN-150, KN-200.

2. Type, batch or serial number or any other element allowing identification of the construction product:

Order number, date and factory marking (see packaging).

3. Intended use of the construction product:

To be used as ceiling materials in both interiors and exteriors.

4. Name, trade name, and address of manufacturer:

Aktsiaselts Parmet, Tehvandi põik 3, 67403 Otepää, Republic of Estonia.

5. System of assessment and verification of constancy of performance of the construction product:

System 3.

6. Technical and Test Institute for Construction Prague – Branch Brno (NB 1020) performed an initial type testing under system 3 and issued the test protocol no 1020-CPD-060037186.

7. Declared performance:

Essential characteristics	Performance	Harmonised technical specification
Reaction to fire	Natural aluminium and steel - A1	
	Powder coated aluminium and steel – A2-s1, d0	96/603/EÜ
	Acoustic fleece – B	
Fire resistance	NPD	
Flexural tensile strength	Class 3/B/50 N	
Load bearing capacity	Class 3, L=1200 mm,	
	136 N (regular bearing capacity),	EVS-EN 13964:2014
	396 N (breaking bearing capacity)	
Sound absorption	NPD	

T: (372) 766 0044 W: www.parmet.ee E: parmet@parmet.ee

Tehvandi põik 3 67403 Otepää

Valukoja 8 11415 Tallinn

Estonia

Durability	Class B	
	0.000 2	

8. The performance of the product identified in points 1 and 2 is in conformity with the declared performance in point 7. This declaration of performance is issued under the sole responsibility of the manufacturer identified in point 4.

Signed for and on behalf of the manufacturer:

In Tallinn, 19 June 2017

Erki Parik

Member of the Board